

NUTRITION OF



308 Lasani Town, Sargodha Road, Faisalabad - Pakistan Mob: +92 300 3008585, Fax: +92 41 8815544 E-mail: editorpjn@gmail.com

Pakistan Journal of Nutrition

ISSN 1680-5194 DOI: 10.3923/pjn.2016.997.1002



Research Article

Effect of Cellulase Supplementation on *in vitro* Digestibility and Energy, Crude Fiber and Cellulose Content of Sago Palm (*Metroxylon* sp.) Waste as Broiler Chicken Feed

¹Deki Zulkarnain, ²Zuprizal, ²Wihandoyo and ²Supadmo

Abstract

Objective: The purpose of this study is to determine the amount of cellulase enzyme needed to optimize sago palm waste feed digestibility *in vitro*. This information can provide the basis for use of sago palm waste in broiler chicken feed. **Methodology:** Cellulase was added to the sago palm waste feed material at 5 different concentrations and five trials were conducted for each feed mixture. The parameters measured in this study were: *In vitro* dry matter digestibility (IVDMD), *in vitro* organic matter digestibility (IVOMD) and *in vitro* crude protein digestibility (IVCPD). The metabolic energy, crude fiber and cellulose contents in sago palm waste were also determined. The resulting data were analyzed statistically with a directional completely randomized design. **Results:** Sago palm waste with cellulase added to 0.75 g cellulase kg⁻¹ waste had the best IVDMD (35.94 vs 19.32% for 0 g cellulase) and IVOMD (35.25 vs 19.32% for 0 g cellulase) values. Optimal values for the crude fiber and cellulose content were also seen for 0.75 g cellulase kg⁻¹ waste with a maximum reduction to 12.79% crude fiber content (decreased by 23.69% compared to untreated waste) and 7.91% cellulose content (decreased by 29.56% relative to untreated waste). The crude protein digestibility and sago palm waste metabolic energy content at various cellulase concentrations were similar but 0.75 g cellulose kg⁻¹ sago palm waste produced optimal crude protein digestibility and metabolism content. **Conclusion:** Addition of cellulase enzyme to sago palm waste at 0.75 g cellulose kg⁻¹ sago palm waste improves IVDMD and IVOMD. This amount of cellulase also produced the best crude fiber and cellulose contents. Together these results suggest that cellulase can be used to improve the qualities of sago palm waste as a feed for broiler chickens.

Key words: Sago palm waste, cellulase enzyme, in vitro digestibility, crude fiber, cellulose

Received: September 07, 2016 Accepted: September 30, 2016 Published: October 15, 2016

Citation: Deki Zulkarnain, Zuprizal, Wihandoyo and Supadmo, 2016. Effect of cellulase supplementation on *in vitro* digestibility and energy, crude fiber and cellulose content of sago palm (*Metroxylon* sp.) waste as broiler chicken feed. Pak. J. Nutr., 15: 997-1002.

Corresponding Author: Deki Zulkarnain, Faculty of Animal Husbandry, Halu Oleo University, Jalan H.A.E. Mokodompit, Fakultas Peternakan, Kampus Baru Anduonohu, Kendari, 93232 Sulawesi Tenggara, Southeast Sulawesi, Indonesia Tel: 0401-3194108 Fax: 081341687685

Copyright: © 2016 Deki Zulkarnain *et al.* This is an open access article distributed under the terms of the creative commons attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

Competing Interest: The authors have declared that no competing interest exists.

Data Availability: All relevant data are within the paper and its supporting information files.

¹Faculty of Animal Husbandry, Halu Oleo University, Southeast Sulawesi, Indonesia

²Faculty of Animal Science, Gadjah Mada University, Yogyakarta, Indonesia

INTRODUCTION

Materials used for poultry feed must consider nutritional characteristics that are suitable to maintain health and productivity but should also avoid competition between livestock needs and human needs, so that price spikes are minimized¹. Currently, use of agricultural waste feed materials, especially waste from sago palm (*Metroxylon* sp.) processing, has not been optimized. In Indonesia, sago palms occupy 1,128 million hectares that are spread across several provinces, including the Sulawesi Province in the southeastern part of the country². Sago palm plants in Southeast Sulawesi, especially those that grow in the Kendari peninsula are agricultural plants that provide a local source of animal feed³. Sago palm vegetation covers 4,899 ha in Southeast Sulawesi and 41.33% of the plants are located in Konawe Regency⁴.

During sago palm processing, between 75 and 83% of the material generated is waste⁵. Unused waste can create foul odors and increase soil acidity^{6,7}. As a source of livestock feed material, sago palm waste has 11.65% crude fiber, 63.32% nitrogen free extract and 2.08% crude protein⁸. Furthermore, the sago palm waste nutrient content is 3.84% crude protein, 1.48% ether extract, 14.51% crude fiber and 0.32% calcium by weight with a metabolic energy⁹ of 1,352 kcal kg⁻¹.

Sago palm waste contains paddy (58%), cellulose (23%), hemicellulose (9.2%), pectin (5.8%) and lignin (3.9%)¹⁰. The crude fiber fraction contains cellulose and hemicellulose¹¹, wherein the cellulose component is 20% and the remainder is lignin and ash extracts¹². High levels of crude fiber in broiler chicken feed can be detrimental to growth, because these birds lack enzymes to digest the feed fiber component, which compromises the activity of endogenous enzymes and inhibits nutrient uptake 13-15. The addition of enzymes as feed additives can be used to enhance uptake of sago palm waste nutrients (e.g., carbohydrates, lipids and proteins) that cannot be digested by native digestive enzymes¹⁵. In addition to improved nutrient uptake, enzyme additives can increase the metabolic energy value of the feed to enhance fowl productivity and reduce environmental impact if the waste went otherwise unused16-18.

Since cellulose is a dominant component of sago palm waste, cellulase could be used to increase digestibility by catalyzing the conversion of cellulose to glucose¹⁹. The temperature and pH needed for optimal enzyme activity are dependent on the enzyme type²⁰. In this study, we examined the optimal cellulase concentration needed to enhance *in vitro* digestibility and metabolic energy content, while optimizing crude fiber and cellulose contents in sago palm waste used as broiler chicken feed.

MATERIALS AND METHODS

This study was conducted over the course of 3 months at the Nutrition Biochemistry Laboratory and Feed Animal Science Faculty and Nutrition Unit at the Intra-University Center Laboratory, Gadjah Mada University in Indonesia. The materials used were sago palm waste, HCl, pepsin, NaHCO₃, NaCl, sodium succinate and concentrated sulfate acid. Sago palm waste generated from sago palm processing was collected from Konawe Regency, Southeast Sulawesi province and treated mechanically. The sago palm waste was dried for use as primary feed material. The cellulase enzyme was added to the sago palm waste feed material at 5 different concentrations, which were tested in 5 trials. The treatment groups were: R1 (1 kg sago palm waste+0.00 g cellulase enzyme), R2 (1 kg sago palm waste+0.25 g cellulase enzyme), R3 (1 kg sago palm waste+0.50 g cellulase enzyme), R4 (1 kg sago palm waste+0.75 g cellulase enzyme) and R5 (1 kg sago palm waste+1.00 g cellulase enzyme).

We evaluated *in vitro* digestibility of sago palm waste feed dry matter (IVDMD), organic matter (IVOMD) and crude protein (IVCPD) using methods described by Han and Persons²¹. The energy content of the feed was analyzed by bomb calorimetry. Crude fiber and cellulose content of sago palm waste were analyzed by an AOAC method and a procedure described by Datta *et al.*²², respectively.

The data were analyzed using a directional, completely randomized design. Real average differences between treatments were subjected to a Duncan's New Multiple Range Test (DMRT)²³.

RESULTS AND DISCUSSION

In vitro digestibility of sago palm (*Metroxylon* sp.) waste with added cellulase: The *in vitro* dry matter digestibility (IVDMD), *in vitro* organic matter digestibility (IVCPD) and *in vitro* crude protein digestibility (IVCPD) of sago palm waste with different concentrations of cellulase enzyme for use as broiler chicken feed was tested (Table 1).

The IVDMD of sago palm waste increased with increasing amounts of cellulase enzyme with values ranging between 30.13% for the R1 treatment (control without the cellulase enzyme) and 36.65% for the R5 treatment (1.00 g cellulase kg⁻¹ sago palm waste) (Table 1). The variations in the results showed that added cellulase produced true differences in IVDMD values (p<0.01). Similarly, a Duncan's Multiple Range Test (DMRT) showed that the R1 treatment (control) had significant differences from the R2, R3,

Table 1: Average in vitro digestibility values for dry matter, organic matter and crude protein of sago palm waste supplemented with cellulase

Parameters	Cellulase enzyme level (g kg ⁻¹ sago palm waste)						
	R1	R2	R3	R4	R5		
Dry matter (%)	30.12 ^a	32.28 ^b	35.08 ^c	35.94 ^{cd}	36.65 ^d		
Organic matter (%)	29.46ª	31.88 ^b	33.87 ^c	35.25 ^d	35.49 ^d		
Crude protein (%)	28.47	29.84	30.81	32.15	32.31		

Source: Biochemistry Lab, UGM Animal Husbandry Faculty, 2015, abc Different superscripts on the same line indicate significant difference, R: Treatment R1 control (no cellulase), R2 0.25 g cellulase kg $^{-1}$ sago palm waste, R3 0.5 g cellulase kg $^{-1}$ sago palm waste, R4 0.75 g kg $^{-1}$ sago palm waste and R5 1.00 g cellulase kg $^{-1}$ sago palm waste

R4 and R5 treatments wherein the cellulase content increased from 0.25-1.00 g enzyme kg^{-1} waste. Furthermore, the IVDMD for the R2 treatment, which had the lowest cellulase content, differed from that for the R3, R4 and R5 treatments. As the cellulase content reached 0.5 g kg^{-1} waste (R3 treatment), the IVDMD values differed significantly from those for the R4 (0.75 g kg^{-1} waste) and R5 (1.00 g kg^{-1} waste) treatments, whereas the R4 treatment and R5 treatment values were similar.

The IVDMD is a general indicator of whether a feed fulfills livestock nutritional needs. Higher IVDMD values translate to greater nutrient availability to fulfill the nutritional needs of livestock²⁴. Nutrient digestibility can be influenced by several factors, including the addition of enzymes to feed²⁵. The low IVDMD value for the R1 treatment (control) suggested that the high level of crude fiber in sago palm waste negatively affected digestibility. Indeed, crude fiber in feed acts as an anti-nutritional factor²⁶, especially for young livestock or non-ruminant livestock. In addition to low digestibility, high crude fiber contents in feed decrease feed palatability and overall nutritional value²⁷. The higher IVDMD levels seen for feed with cellulase suggests that the added enzyme can hydrolyze the crude fiber in sago palm waste, particularly because cellulose is the dominant crude fiber component.

The IVOMD of sago palm waste also increased with added cellulase enzyme. The R1 treatment (control) had the lowest IVOMD values (29.46%) and the highest values (35.49%) were seen for the R5 treatment (1.00 g added cellulase). The IVOMD and IVDMD values are strongly related²⁸ such that reduced IVDMD values are often associated with reduced IVOMD values.

Variations in analytical results revealed that adding cellulose to sago palm waste produced a significant influence (p<0.01) on IVOMD. Moreover, the Duncan's Multiple Range Test (DMRT) results showed that the R1 treatment (control) IVOMD differed from that for the R2, R3, R4 and R5 treatments. Similarly, the R2 treatment had an IVOMD value that was significantly different from the R3, R4 and R5 treatments. The R3 treatment IVOMD differed from that for the R4 and R5 treatments, whereas the R4 and R5 treatments were similar.

Added cellulase increased the IVOMD value of sago palm waste feed matter due to the ability of cellulase to degrade sago palm waste cellulose. A Duncan's Multiple Range Test (DMRT) showed that 0.75 g cellulase kg⁻¹ palm waste reduced the cellulose content to affect the IVOMD values. Through this activity, cellulase could degrade crude fiber into useable sugars. Cellulase converts cellulose from a linear chain of disaccharide units into glucose²⁹ by breaking polysaccharide bonds that in turn increase the digestibility value and reduce the crude fiber content³⁰.

The IVCPD of sago palm waste with added cellulase enzyme ranged from 28.47-32.31% (Table 1). The IVCPD values in this study were consistent with Kusmayadi *et al.*³¹ who discovered that the *in vitro* digestion of chicken feather-based monogastric feed crude protein ranged from 28.4-39.6% but was lower than those reported by Hanim¹⁴, who showed that broiler chicken feed supplemented with 2.25 g kg⁻¹ xylanase had an IVCPD between 41.70 and 48.38%. These differences in crude protein digestibility level could be caused by several factors, such as feed ingredients, nutrient composition, feed ingredient processing and crude fiber content¹¹.

The variant analytical results showed that added cellulase enzyme, even at 1 g enzyme/1 kg waste did not contribute to real differences in IVCPD of sago palm waste. Nonetheless, the cellulase enzyme could effectively function in palm waste mixtures according to its expected substrate specificities and activity³². Although not statistically significant, cellulase enzyme could increase the IVCPD to values that were higher than that of untreated waste, with the highest value seen for the R5 treatment (32.31%).

Nutrient content of sago palm waste with added cellulase:

The metabolic energy content of sago palm waste supplemented with 1.00 g cellulase kg⁻¹ waste ranged between 2,597.05 and 2,612.59 kcal kg⁻¹ (Table 2). These values are consistent with an earlier study showing an energy content³³ of 2,900 kcal kg⁻¹ but higher than another study that reported⁹ 1,352 kcal kg⁻¹. Sago palm waste had a gross energy value^{33,34} of 4,148 kcal kg⁻¹. For a converted form of

Table 2: Average metabolic energy, crude fiber and cellulose content in sago palm waste supplemented with cellulase

Parameters	Cellulase enzyme level (g kg ⁻¹ of sago palm waste)						
	R1	R2	R3	R4	R5		
Metabolic energy (kcal kg ⁻¹)	2.609	2.601	2.597	2.611	2.613		
Crude fiber (%)	16.76ª	15.98⁵	14.98°	12.79 ^d	12.95 ^d		
Cellulose (%)	11.23 ^a	10.49 ^b	9.60°	7.91 ^d	8.26e		

Source: UGM Intra University Center Lab, 2015, **eDifferent superscripts on the same line indicates a significant difference, R: Treatment R1 control (no cellulase), R2 0.25 g cellulase kg⁻¹ sago palm waste, R3 0.5 g cellulase kg⁻¹ sago palm waste and R5 1.00 g cellulase kg⁻¹ sago palm waste

metabolic energy, value of 3,765.91 kcal kg⁻¹ for sago palm waste¹⁵. Several analyses of sago palm waste metabolic energy contents revealed that sago palm waste could represent a readily available energy source for livestock. However, a constraining factor of this material was its low crude protein content and high crude fiber content.

Here, added cellulase even at $1.00 \, \mathrm{g \, kg^{-1}}$ did not produce significant differences in the metabolic energy content of sago palm waste. This result is consistent with the finding of Melati and Sunarno²⁹, who showed that added commercial cellulase did not increase the metabolic energy of wheat bran. Cellulase enzyme did not increase the metabolic energy of soybean-based feeds, since the cellulase enzyme activity depended on the material used, the energy content and the feed protein³⁵. The ability of cellulase to improve sago palm waste metabolic energy content is also affected by the raw fiber content and fiber type. Feed metabolic energy values are positively influenced by the fat, carbohydrate and protein contents but are negatively influenced by the ash and crude fiber content³⁶.

The sago palm waste crude fiber content was between 12.79 and 16.76% (Table 2). The addition of cellulase enzyme to sago palm waste significantly influenced (p<0.01) the crude fiber content. The Duncan's Multiple Range Test (DRMT) test results showed that the R2, R3, R4 and R5 treatments decreased the amount of crude fiber relative to the R1 treatment. The R2 treatment crude fiber differed from that for the R3, R4 and R5 treatments as did the R3 treatment from the R4 and R5 treatments. However, the R4 and R5 treatments had similar crude fiber contents.

Based on the DMRT test results, cellulase enzyme added to 0.75 g kg⁻¹ sago palm reduced the crude fiber content to 12.79% (Table 2), suggesting that cellulase is an effective biocatalyst for degrading fiber in cellulose-rich feeds. This result is similar to previous study studies that examined the use of *Aspergillus* cellulase in fermentation processes showed that cellulase supplementation of yam skin-based feeds reduced the crude fiber content³⁷ from 21.20-14.96%. Another study showed that supplementation of cocoa pod husk-based feed with an enzyme cocktail also reduced cellulose and hemicellulose levels to 11.62 and 15.29%, respectively³⁸.

The dominant crude fiber component in sago palm waste is cellulose, which is composed of hundreds of glucose units that must be broken down into digestible units. Here the addition of cellulase to sago palm waste produced cellulose contents ranging between 7.91 and 11.23% (Table 2), which is lower than earlier studies of enzyme supplementation in feed materials that showed cellulose fractions³⁹⁻⁴¹ of 23, 22.4 and 9.28%.

The addition of cellulase to sago palm waste indeed significantly (p<0.01) affected the sago palm waste cellulose content. Duncan's Multiple Range Test (DRMT) showed that cellulase reduced the cellulose fraction in sago palm waste, in that the R2-R5 treatments all had less cellulose than the unsupplemented R1 treatment. The lowest cellulose content was seen for the R4 treatment (7.91%) and the highest was the control R1 treatment (11.23%). These results support the ability of cellulase to degrade and transform cellulose macromolecules into simpler glucose molecules⁴² that can be more easily digested by poultry.

CONCLUSION

Adding cellulase enzyme at 0.75 g kg⁻¹ to sago palm waste incorporated in dry feed improves IVDMD and IVOMD as well as the crude fiber and cellulose contents. This study showed that, relative to untreated waste, treatment with 0.75 g cellulase kg⁻¹ waste produced 35.94% IVDMD (increased by 19.32%), 35.35% IVOMD (increased by 19.65%), 12.79% crude fiber (decreased by 23.69%) and 7.91% cellulose (decreased by 29.56%). Meanwhile, adding the cellulase enzyme to the sago palm waste at various levels did not significantly affect crude protein digestibility (IVCPD) or metabolic energy content.

REFERENCES

- 1. Liwe, H., B. Bagau and M.R. Imbar, 2014. [Fermentation period effect of banana leaf in ration on broiler feed efficiency]. J. Zootek, 34: 114-123.
- 2. Lay, A., F. Tondak and M. Patrik, 2010. Optimization of processing sago (*Metroxylon* sp.) into biofuel. Warta Penelitian dan Pengembangan Tanaman, 16: 1-5.

- 3. Muhidin, S. Lemomo, M.J. Arma and Sumarlin, 2012. Influence of climate characteristics of different production sago. J. Agrotek., 2: 190-194.
- 4. Anonymous, 2015. Statistics of Sulawesi Tenggara in figure. Statistics of Sulawesi Tenggara Province, Kendari.
- McClatchey, W., H.I. Manner and C.R. Elevitch, 2006. Metroxylon amicarum, M. paulcoxii, M. sagu, M. salomonense, M. vitiense and M. warburgii (sago palm) Arecaceae (palm family). Species Profiles for Pacific Island Agroforestry.
- Islamiyati, R., 2009. The nutritive values of sago waste residues and broiler faeces fermented with several levels of EM4. Animal of Science Hasanudin University. Makassar, pp: 568-571.
- 7. Syakir, M., M.H. Bintoro and H. Agusta, 2009. [Use of sago waste and compost to increase the productivity of bushy black pepper]. J. Penelitian Tanaman Ind., 15: 168-173.
- 8. Zulkarnain, D., A.M. Tasse and Rahman, 2013. The hydrolyzate ration of broiler and layer-based local feed resources Southeast Sulawesi. The Research and Devation Society. Halu Oleo University. Kendari.
- Antawidjaja, T., I.A.K. Bintang, A.P. Sinurat and I.P. Kompiang, 1997. The use of sago waste (*Metroxylon* sp.) and its fermentation product as a feedstuff for growing duck. J. Ilmu Ternak dan Veteriner. 2: 175-180.
- Wizna, H. Abbas, Y. Rizal, A. Dharma and I.P. Kompiang, 2008. Improving the quality of sago pith and rumen content mixture as poultry feed through fermentation by *Bacillus* amyloliquefaciens. Pak. J. Nutr., 7: 249-254.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodjo,
 S. Prawirokusumo and S. Lebdosoekojo, 1998. Basic Feed
 Science. 4th Edn., Gadjah Mada University Press, Yogyakarta.
- 12. Kiat, L.J., 2006. Preparation and characterization of carboxymehyl sago waste and its hydrogel. M.Sc. Thesis, University Putra Malaysia, Selangor.
- 13. Anjum, M.S. and A.S. Chaudhry, 2010. Using enzymes and organic acids in broiler diets. J. Poult. Sci., 47: 97-105.
- 14. Hanim, C., 2014. Mutagenic improvement of xylanase production from xylanolitic bacteria and its application in broiler feed. Dissertation. Graduate School. Gadjah Mada University, Yogyakarta.
- 15. Zuprizal, 2006. Poultry nutrition. Department of Animal Nutrition and Feed, Faculty of Animal Science, Gadjah Mada University, Yogyakarta.
- Broz, J. and N.E. Ward, 2007. The role of vitamins and feed enzymes in combating metabolic challenges and disorders.
 J. Applied Poult. Res., 16: 150-159.
- 17. Hajati, H., M. Rezaei and H. Sayyahzadeh, 2009. The effects of enzyme supplementation on performance, carcass characteristics and some blood parameters of broilers fed on corn-soybean meal-wheat diets. Int. J. Poult. Sci., 8: 1199-1205.

- 18. Guntoro, S., N. Suyasa, I.A. Parwati and I.M.R. Yasa, 2000. Reports on the assessment of the use of enzymes to increase the productivity of laying hens. Installation Agricultural Research and Technology Assessment, Denpasar, Bali.
- 19. Richana, N., T.T. Irawadi, M.A. Nur, I. Sailah and K. Syamsu, 2007. The process of xylanase production from *Bacillus pumilus* RXAIII-5. J. Mikro. Indo., 1: 74-80.
- Richana, N., B. Prastowo, B. Purwantana and A. Nuralamsyah, 2011. Diversification of oil palm empty bunches for second generation biofuels and reduction of 3 MCPD. Research and Development Center of Plantation, Bogor.
- 21. Han, Y. and C.M. Parsons, 1991. Protein and amino acid quality of feather meals. Poult. Sci., 70: 812-822.
- 22. Datta, A., A. Bettermann and T.K. Kirk, 1991. Identification of a specific manganese peroxidase among ligninolytic enzymes secreted by phanerochaete chrysosporium during wood decay. Applied Environ. Microbiol., 57: 1453-1460.
- 23. Steel, R.G. and J.H. Torrie, 1993. Prinsip dan Prosedur Statistika. [Principles and Procedures of Statistics]. (Translator Bambang Sumantri). PT Gramedia Pustaka Utama, Jakarta, Indonesia, Pages: 748.
- 24. Syahrir, S., 2009. The potency of mulberry leave in increasing the nutritive value of rice straw as beef cattle feed. Ph.D. Thesis, Graduate School Institute of Agriculture Bogor, Bogor.
- 25. McDonald, P., R.A. Edwards, J.F.D. Greenhalgh and C.A. Morgan, 2002. Animal Nutrition. 6th Edn., Prentice Hall, UK., ISBN: 9780582419063, Pages: 693.
- 26. Rougiere, N. and B. Carre, 2010. Comparison of gastrointestinal transit times between chickens from D⁺ and D⁻ genetic lines selected for divergent digestion efficiency. Animal, 4: 1861-1872.
- 27. Winugroho, M. and S. Mariati, 1999. Digestibility of oil palm leaves as feed for ruminants. Research Report. Livestock Research Institute, Bogor.
- 28. Parakkasi, A., 1999. Nutrition and Feed Science Ruminants. Indonesian University Press, Jakarta.
- 29. Melati, I. and M.T.D. Sunarno, 2016. [The effects of *Bacillus subtilis* cellulase enzyme on the decreasing of crude fiber of cassava peels for fish food ingredients]. Widyariset, 2: 57-66.
- 30. Ramli, N., R.A. Haryadi and D.G. Dinata, 2005. Evaluation of the nutritional quality of processed wheat bran enzymes produced by the *Aspergillus niger* and *Trichoderma viride* on broiler chicken rations. Media Peternakan, 28: 124-129.
- 31. Kusmayadi, A., S. Rahayu and W. Hadi, 2013. [Digestibility of dry matter and protein concentrate of monogastric diets based of chicken feather hydrolyzate by *in vitro*]. J. Ilmiah Peternakan, 1: 413-419.
- 32. Malathi, V. and G. Devegowda, 2001. *In vitro* evaluation of nonstarch polysaccharide digestibility of feed ingredients by enzymes. Poult. Sci., 80: 302-305.

- 33. Sinurat, A.P., 1999. Utilization of local feedstuffs for native chickens. J. Wartazoa, 9: 12-20.
- 34. Ulfah, T.A. and B. Umar, 2002. Utilization of Sago waste (*Metroxylon* sp.) non-fermented and fermented in the ration on the growth native chicken grower period. Proceedings of the National Seminar on Animal Science and Veterinary Technology, (ASVT'02), Assessment Development Center for Agricultural Technology, Bogor, pp: 248-250.
- 35. Kocher, A., M. Choct, G. Ross, J. Broz and T.K. Chung, 2003. Effects of enzyme combinations on apparent metabolizable energy of corn-soybean mea/l-based diets in broilers. J. Applied Poult. Res., 12: 275-283.
- 36. Janssen, W.M.M., K. Terpstra, F.F.E. Beeking and A.J.N. Bisalsky, 1979. Feedings Values for Poultry. 2nd Edn., Spelderholt Mededeling, London, UK., Pages: 303.
- 37. Supriyati and I.P. Kompiang, 2002. The chemical changing during fermentation of cassava tuber skin and its utilization in broiler chicken ration. J. Ilmu Ternak Veteriner, 7: 150-154.
- 38. Alemawor, F., V.P. Dzogbefia, E.O.K. Oddoye and J.H. Oldham, 2009. Enzyme cocktail for enhancing poultry utilisation of cocoa pod husk. Sci. Res. Essays, 4: 555-559.

- 39. Linggang, S., L.Y. Phang, M.H. Wasoh and S. Abd-Aziz, 2012. Sago pith residue as an alternative cheap substrate for fermentable sugars production. Applied Biochem. Bioetanol., 167: 122-131.
- 40. Irawadi, T.T., H. Purwaningsih, Z.A. Masud and M. Khotib, 2012. Separation technology of Java Turmeric active compounds using modified biopolymer from sago waste fiber. Proceedings of Research Results Institute of Agriculture, Bogor.
- 41. Mobilala, S.H., 2010. Utilization of solid waste fiber sago with mixed themoplastic and urea formaldehyde as adhesive for particle board. Magister Thesis, Graduate School, Faculty of Engineering, Gadjah Mada University, Yogyakarta.
- 42. Gianfreda, L. and M.A. Rao, 2004. Potential of extra cellular enzymes in remediation of polluted soils: A review. Enzyme Microb. Technol., 35: 339-354.